

Guidelines of Medical Care for Pediatric Patients with Diabetes (1) (Rev. 02/2009) (Previous editions obsolete.)

These are guidelines to be adapted into the clinician's practice recommended by Nebraska Diabetes Consensus Guidelines Taskforce

Patient Name: _____ Date of Birth: ___/___/___ Year of Diagnosis: _____

Attended Diabetes Self-Management Classes: Yes ___ No ___ If yes, When/Where: _____

Follow-up Education with CDE/RD: Yes ___ No ___ If yes, When/Where: _____

Complications: _____

*Frequency may be every **diabetes-related** visit – to be determined by physician

Indicators	Frequency*	Goals (1)	Date/Results	Date/Results	Date/Results	Date/Results
Height	Every Visit					
Weight or BMI Percentage	Every Visit					
Tanner Stage	Yearly					
Blood Pressure	Every Visit	Age specific guidelines				
Foot Exam/Pulses (2)	Every Visit					
Skin/injection Sites	Every Visit					
Blood Glucose	Every Visit					
Review of Self-Blood Glucose Monitoring Record	Every Visit	Age specific guidelines (3)				
Review/Update Current Meds	Every Visit					
Discuss Lifestyle Management - Tobacco Use Status Using/Doesn't Use Cessation if using - Physical Activity	Every Visit					
A1c (Hemoglobin A1c)	Every Three Months	Minimum goal <7%				
Referred for Dental Exam	Bi-annual	Exam Date/ Dentist:				
Annual Exam/History Update	Yearly					
Abdominal Exam	Yearly					
Neurological Exam/Depression Screening	Yearly					
Cardiac Assessment/Pulses	Yearly					
Thyroid Assessment (4)	Yearly					
Referred for Dilated Eye Exam (5)	Yearly	Exam Date/Physician:				
Total Cholesterol (6)	Yearly	<170 mg/dl				
HDL-C (6)	Yearly					
Triglycerides (6)	Yearly					
Calculated or Measured LDL Assessment (6)	Yearly	<100 mg/dl (6)				
Random spot urine for albumin /creatinine ratio (7)	Yearly	<30 ug/mg creatinine				
Influenza Vaccine	Yearly	Date/location:				
Pneumococcal Vaccination(8)	(8)	Date/location:				
Celiac Disease (9)						

(1) Based on American Diabetes Assoc. Standards of Medical Care for Patients W/ Diabetes Mellitus. *Diabetes Care* 31 (Suppl. 1): Jan 08.

(2) Annual comprehensive foot exam.

(3) Daytime: <5 years. 100-200; >5 yrs. 70-150 or as determined by physician; nighttime: <5 years. 150-200; >5 yrs. 120-180 or as determined by physician.

(4) Thyroid function tests annually with type 1; type 2, at time of diagnosis and as indicated.

(5) ADA: once child is ≥ 10 years old & has had diabetes for 3-5 years; annual follow-up. AAP: 3-5 years after diagnosis if >9 years old and annually thereafter. Pediatric Endocrinologist: dilated eye exam first year after diagnosis; not annually until adolescence or after puberty.

(6) Perform a fasting lipid panel on all children >2 years at the time of diagnosis (after glucose control has been established); if values are within normal levels and family history is not a concern, follow-up is recommended at 5-year intervals thereafter. (Nebraska Diabetes Consensus Guidelines Task Force recommendation.)

(7) Annual screening once child is 10 years of age. (Nebraska Diabetes Consensus Guidelines Task Force recommendation.)

(8) Centers for Disease Control & Prevention Guidelines.

(9) Patients with type 1 diabetes should be screened for Celiac disease. Children with positive antibodies should be referred to a gastroenterologist for evaluation. Children with confirmed celiac disease should have consultation with a dietitian and placed on a gluten-free diet.

Guidelines of Medical Care for Pediatric Patients with Diabetes (1) (Rev. 04/2009) (Previous editions obsolete.)

These are guidelines to be adapted into the clinician's practice recommended by the Nebraska Diabetes Consensus Guidelines

Patient Name: _____ Date of Birth: ___/___/___ Year of Diagnosis: _____

Attended Diabetes Self-Management Classes: Yes ___ No ___ If yes, When/Where: _____

Follow-up Education with CDE/RD: Yes ___ No ___ If yes, When/Where: _____

Complications: _____

*Frequency may be every **diabetes-related** visit – to be determined by physician

Every Visit								
Indicators	Frequency*	Goals (1)	Date/ Results	Date/ Results	Date/ Results	Date/ Results	Date/ Results	Date/ Results
Height	Every Visit							
Weight or BMI Percentage	Every Visit							
Tanner Stage	Yearly							
Blood Pressure	Every Visit	Age specific guidelines						
Foot Exam/Pulses (2)	Every Visit							
Skin/injection Sites	Every Visit							
Blood Glucose	Every Visit							
Review of Self-Blood Glucose Monitoring Record	Every Visit	Age specific guidelines (3)						
Review/Update Current Meds	Every Visit							
Discuss Lifestyle Management - Tobacco Use Status Using/Doesn't Use Cessation if using - Physical Activity - Assess	Every Visit							
A1c (Hemoglobin A1c)	Every 3 Months	Minimum goal <7%						

Yearly			
Indicators	Frequency *	Goals (1)	Date/Results
Abdominal Exam	Yearly		
Neurological Exam/Depression Screening	Yearly		
Cardiac Assessment/Pulses	Yearly		
Thyroid Assessment	Yearly		
Referred for Dilated Eye Exam (5)	Yearly	Exam Date/ Physician:	
Total Cholesterol (6)	Yearly	<170 mg/dl	
HDL-C (6)	Yearly		
Triglycerides (6)	Yearly		
Calculated or Measured LDL Assessment (6)	Yearly	<100 mg/dl (6)	
Random spot urine for albumin /creatinine ratio (7)	Yearly	<30 ug/mg creatinine	
Influenza Vaccine	Yearly	Date/location:	
Pneumococcal Vaccination (8)	(8)	Date/Location:	
Celiac Disease (9)			

(1) Based on American Diabetes Association: Standards of Medical Care for Patients With Diabetes Mellitus. *Diabetes Care* 32 (Supp. 1): January 2009.

(2) Annual comprehensive foot exam.

(3) Daytime: <5 years. 100-200; >5 years, 70-150 or as determined by physician; nighttime: <5 years, 150-200; >5 years, 120-180 or as determined by physician.

(4) Thyroid function tests annually with type 1; type 2, at time of diagnosis and as indicated.

(5) ADA: once child is \geq 10 years old & has had diabetes for 3-5 years; annual follow-up. AAP: 3-5 years after diagnosis if >9 years old and annually thereafter. Pediatric Endocrinologist: dilated eye exam first year after diagnosis; not annually until adolescence or after puberty.

(6) Perform a fasting lipid panel on all children >2 years at the time of diagnosis (after glucose control has been established); if values are within normal levels and family history is not a concern, follow-up is recommended at 5-year intervals thereafter. (Nebraska Diabetes Consensus Guidelines Task Force recommendation.)

(7) Annual screening once child is 10 years of age. (Nebraska Diabetes Consensus Guidelines Task Force recommendation.)

(8) Centers for Disease Control and Prevention Guidelines.

(9) Patients with type 1 diabetes should be screened for Celiac disease. Children with positive antibodies should be referred to a gastroenterologist for evaluation. Children with confirmed celiac disease should have consultation with a dietitian and placed on a gluten-free diet.